



Mid-Mountain Materials

# THE FINAL BARRIER AGAINST ABRASION, CHEMICALS AND HEAT

## ARMATEX<sup>®</sup> SILICONE RUBBER COATED GLASS FABRICS

	<b>SF 17</b>	<b>SF 17 Industrial</b>
Coating	Silicone Rubber	Silicone Rubber
Color	Various	Various
Sides	2	2
Weight, oz/sq yd, nominal	17	17
Thickness, inches, nominal	.017	.017
Standard Widths, inches	60	60
Roll Length, lineal yards	50	50
<b>System Use Limit, °F • °C, Continuous</b>		
Treatment Limit	450 • 230	450 • 230
Fabric Limit	1000 • 538	1000 • 538
<b>Chemical Resistance</b>		
Oils	Good	Good
Hydrocarbons	Good	Good
<b>Flame Support Resistance</b>	Excellent	Excellent
<b>Water Penetration Resistance</b>	Good	Good
<b>CAN BE CERTIFIED TO</b>		
MIL-C-24576(SH)		
MIL-I-24244	•	•
ASTM E 162	•	•
ASTM E84.84a	•	•
<b>SUGGESTED USES</b>		
Pad and Lagging Cloth	•	•
Weld Protection, light	•	
Weld Protection, heavy		
Equipment Covers	•	•
Expansions Joints		
Heat Absorption Medium		
Flame Resistant Shields		

The technical data presented herein are indicative of representative properties and are intended as a specification guide only. No warranties are expressed or implied as application conditions are beyond our control.